

ibrido
F1

'9001




semi per l'hobbista esigente

Anguria


Lubenica - Lubenica - Watermelon

Citrullus lanatus


OBLA F1

 Ibrido del tipo Crimson Sweet. Si differenzia dalla Crimson standard per la sua forma oblunga, la polpa assai dolce, l'assenza di fibrosità ed il colore interno rosso intenso. Particolarmente resistenti alla decolorazione della buccia, i frutti hanno un peso medio di 12 kg con un'elevata uniformità di calibro lungo tutto il periodo di raccolta. Cultivar di notevole vigore e rusticità, a ciclo medio con raccolta a 85 giorni dalla semina, molto produttiva. Ha la resistenza intermedia (IR) a: *Colletotrichum orbiculare* (ex *Colletotrichum lagenarium*) (Co 1) e *Fusarium oxysporum* f.sp. *niveum* (Fon 1). Resiste molto bene a manipolazioni e trasporto.



 Hibrid tipa Crimson Sweet. Razlikuje se od standardne Crimson po svom dugoljastom obliku, meso je slatko, bez vlakana te intenzivno crvene boje. Plodovi, vrlo otporni na dekolraciju kore, prosječne su težine 12 kg te se odlikuju visokom ujednačenošću kalibra tijekom cijelog perioda berbe. Vrlo rodna sorta srednjeg ciklusa sa berbom 85 dana nakon sjetve. Odlikuje se srednjom otpornošću (IR) na: *Colletotrichum orbiculare* (ex *Colletotrichum lagenarium*) (Co 1) i *Fusarium oxysporum* f.sp. *niveum* (Fon 1). Vrlo dobro podnosi manipulaciju i transport.

 Križanec vrste Crimson Sweet. Od klasične vrste Crimson se razlikuje po podolgovati obliki in precej sladkem, nevlaknatem mesu izrazito rdeče barve. Ta sorta je posebej odporna proti razbarvanju skorje, plodovi v povpreču tehtajo 12 kg in so razmeroma enako veliki v celotnem obdobju obiranja. Bujna, srednje pozna domača sorta, ki dozori v približno 85 dnevih. Srednja odpornost (IR) na *Colletotrichum orbiculare* (ex *Colletotrichum lagenarium*) (Co 1) in *Fusarium oxysporum* f.sp. *niveum* (Fon 1). Zelo dobro prenaša rokovanje in transport.

 Hybrid of the Crimson Sweet type. It differs from the standard Crimson type in that it is oblong in shape, has very sweet flesh, is not fibrous and is deep red inside. Especially resistant to discolouration of the skin, the fruits have an average weight of 12 kg with high uniformity of size throughout the harvest period. Cultivar of remarkable vigour and hardiness, very productive with medium cycle, ready for harvest 85 days from sowing. It has intermediate resistance (IR) to *Colletotrichum Orbiculare* (ex *Colletotrichum Lagenarium*) (Co 1) and *Fusarium Oxysporum* f.sp. *niveum* (Fon 1). Highly resistant to handling and transport.



Semina in serra - Sjetva u zatvorenim prostorima
Setev v toplo gredo - Greenhouse sowing



Semina in campo - Sjetva na otvorenom
Setev na prosto - Open field sowing



Raccolta - Berba
Cas pobiranja pridelka-zrelost - Crop

1 2 3 4 5 6 7 8 9 10 11 12

• •

• •

• • •



strisciante



cm 100 x 100



cm 2



pieno sole



luna crescente

Busta termosaldada



NORMATIVA CE - CATEGORIA STANDARD

Stabilimento di produzione Udine/Italy - Licenza CCIAA UD n.6 del 10/06/74

SDD S.p.A. - Divisione Sementi Dotto - Via Lavariano, 41 - 33050 Mortegliano (UD) Italy



8 006555 074000

UNIX

SEMENTI
DOTTO



8 006555 074017